

# Product datasheet

Specifications



## Symmetra PX40KW Extended Run Battery Frame with Startup

SYCFXR8S

### Overview

Lead Time Usually in Stock

### Main

Number Of Cables 1

Battery Type VRLA

Provided Equipment Installation guide  
Start-up service  
User manual

### Batteries & Runtime

Number Of Battery Free Slots 8

Number Of Battery Filled Slots 0

Battery Life 3...5 year(s)

Device Mounting Enclosed battery cabinet

### Physical

Colour Black

Height 207 cm

Width 58.4 cm

Depth 90.2 cm

Net Weight 250 kg

### Environmental

Ambient Air Temperature For Operation 0...40 °C

Operating Altitude 0...3333 ft

Relative Humidity 0...95 %

Ambient Air Temperature For Storage -15...45 °C

Storage Relative Humidity 0...95 %

### Packing Units

Unit Type Of Package 1 PCE

Number Of Units In Package 1 1

Package 1 Height 208.3 cm

---

Package 1 Width	101.6 cm
Package 1 Length	76.2 cm
Package 1 Weight	272.73 kg

---

## Contractual warranty

---

Warranty	1 year repair or replace
----------	--------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more >](#)




Take-back RoHS/REACH

## Resource performance

 Take-Back Program Available

---

## Well-being performance

 Lead Free

---

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

---

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

---