Specifications

APC SERVICE BYPASS PDU, 230V 10AMP W/ (6) IEC C13



SBP1500RMI

Overview

Lead Time

Usually in Stock

Main

Mann	
Main Input Voltage	230 V
Product Or Component Type	Bypass kit
Main Output Voltage	230 V
Input Connection Type	IEC 60320 C14
Number Of Rack Unit	2U
Cable Length	1.98 m
Number Of Cables	1
Provided Equipment	User manual Rack mounting brackets

Physical

-	
Colour	Black
Height	8.9 cm
Width	43.2 cm
Depth	7.6 cm
Net Weight	2 kg
Mounting Location	Front
Mounting Preference	No preference
Mounting Mode	Rack-mounted

Input

Network Frequency	50/60 Hz
Permissible Voltage	220240 V
Max Line Current	10 A
Input Current Limits	10 A
Load Capacity	1500 VA
Power Factor	01

Output

Max Current Draw



Number Of Power Socket Outlets	6 IEC 60320 C13 1 IEC Jumpers
Number Of Power Socket Outlets	6
Protection Type	Circuit breaker
Power Cable Length	1.22 m
Efficiency	99 %

Conformance

Product Certifications	VDE
Standards	EN/IEC 62040-1:2019/A11:2021 EN/IEC 62040-2:2006/AC:2006 EN/IEC 62040-2:2018

Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 %
Operating Altitude	015000 ft
Ambient Air Temperature For Storage	-1545 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.1 cm
Package 1 Width	46.3 cm
Package 1 Length	29.5 cm
Package 1 Weight	3.5 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	56
Package 2 Height	113 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	195.608 kg

Contractual warranty

Warranty

2 years repair or replace

Life Is On by Schneider Electric

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

